

Table of Contents

Table of Contents

EPA Method 521 – Nitrosamines

EPA Method 527 – Pesticides and PBDEs

EPA Method 529 – Explosives, Gun Surveillance Standard

EPA Method 1613 – Dioxins and Furans
(also EU Method EN-1948 and Japanese Methods JIS-K0311 and JIS-K0312)

EPA Method 1626 – Nonylphenols and Ethoxylates

ISO/DIS-22032 – PBDE Calibration Curve

PCB Metabolites

ITX standards for European Food Safety Authority (EFSA)

EU Directive 67/548/EEC for Dyes

Biodiesel Standards

Independent QC Check Standards - Not Lot

Eco-Labeling (Oeko-Tex Standard 1000)

RoHS/WEEE Regulations (2002/95/EC)



ISO 17025

CERTIFIED

World Class Quality System



MSDSs & COAs shipped with products

EPA Method 521 & 527

Method 521

Nitrosamines by SPE & Capillary Column GC

Analyte Stock Solution

M-521 1 x 1 mL
200 µg/mL each in CH₂Cl₂ 7 comps.

N-Nitrosodimethylamine	N-Nitrosodi-n-butylamine
N-Nitrosomethylethylamine	N-Nitrosopyrrolidine
N-Nitrosodiethylamine	N-Nitrosopiperidine
N-Nitrosodi-n-propylamine	

Internal Standard Stock Solution

M-521-IS 1 x 1 mL
M-521-IS-PAK 5 x 1 mL
1.0 mg/mL in CH₂Cl₂

N-Nitrosodi-n-propylamine-d₁₄

Surrogate Standard Stock Solution

M-521-SS 1 x 1 mL
M-521-SS-PAK 5 x 1 mL
1.0 mg/mL in CH₂Cl₂

N-Nitrosodimethylamine-d₆

Method 527

Pesticides & Flame Retardants in Drinking Water by SPE & Capillary GC/MS

EPA Method 527 refers to catalog numbers S-10617A-R1, S-10617B-R1 and S-10617C-R1. These are the same as catalog numbers M-527-PEST-A, M-527-PEST-B and M-527-BDE, which is 1/5 the concentration of S-10617C-R1.

Pesticide Standard A

M-527-PEST-A (same as **S-10617A-R1**) 1 x 1 mL
500 µg/mL each in MeOH 11 comps.

Atrazine	Kepone
Bioallethrin, S-cyclopentyl isomer	Norflurazon
Bromacil	Oxychlorodane isomer
Esfenvalerate	Prometryne
Fenvalerate	Propazine
Hexazinone	

Pesticide Standard B

M-527-PEST-B (same as **S-10617B-R1**) 1 x 1 mL
500 µg/mL each in MeOH 12 comps.

Bifenthrin	Nitrofen
Dimethoate	Parathion
Dursban	Terbufos sulfone
Fenamiphos	Thiazopyr
Malathion	Thiobencarb
Mirex	Vinclozolin

Internal Standard

M-525.2-IS 1 x 1 mL
0.5 mg/mL each in Acetone 3 comps.

Acenaphthene-d ₁₀	Phenanthrene-d ₁₀
Chrysene-d ₁₂	

Surrogate Standard

M-525.2-SS 1 x 1 mL
0.5 mg/mL each in Acetone 3 comps.

1,3-Dimethyl-2-nitrobenzene	Triphenylphosphate
Perylene-d ₁₂	

PBDE Standard

M-527-BDE (same as **S-10617C-R1** at 1/5 conc.) 1 x 1 mL
50 µg/mL each in Isooctane:Ethyl Acetate (8:2) 5 comps.

2,2',4,4'-Tetrabromodiphenyl ether	2,2',4,4',5,5'-Hexabromodiphenyl ether
2,2',4,4',6-Pentabromodiphenyl ether	2,2',4,4',5,5'-Hexabromobiphenyl
2,2',4,4',5-Pentabromodiphenyl ether	

Agilent System for LC/MS/MS (Quadrupole and Ion Trap) Enhances AccuStandard's QC Analytical Capabilities

An Agilent 1200 Series LC/MSD Trap has been added to AccuStandard's extensive analytical capabilities for certifying Chemical Reference Standards. LC/MSD Trap analyzers are particularly useful for characterizing and measuring thermally labile compounds including organophosphorus pesticides and their metabolites. The LC/MSD Traps offers outstanding combinations of scan speed, mass resolution, mass range, and sensitivity. With the addition of the Agilent LC/MSD Trap, to the GC, GC/MS, HPLC, ICP, and Low Sulfur Analyzer instrumentation, AccuStandard continues to expand its analytical capability.

Moreover, the LC/MSD Trap's unique SmartFrag collision-energy ramping ensures that every precursor ion receives exactly the energy it needs for optimum fragmentation. The result is greater product ion generation and more structural information from fewer stages of MS.

Practical Application LC/MS Spectra available for over 500 Pesticide Reference Standards

LC/MS is rapidly becoming the analytical technique of choice for pesticide analysis. Despite this there is little data available for the analyst to uniquely identify the individual mass spectrum for these compounds. In order to provide this important information to our customers, AccuStandard has worked with Agilent and LCMS Limited to be the first Certified Reference Standard Manufacturer to offer this information.

Technical Details:

- Pesticides were provided by AccuStandard.
- Analysis was performed by LCMS Ltd. on an Agilent 1200 Series LC/MS.
- Data was obtained in cooperation with Agilent.



EPA Method 529, 1613 & Gun Surveillance

Method 529

Explosive & Related Compounds by SPE & Capillary Column GC/MS

Method 529 Calibration Curve

All in Ethyl acetate

Storage Cond.: Freeze (<-10°C)

M-529-	01	02	03	04	05	06	07	08	09
2-Amino-4,6-dinitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
4-Amino-2,6-dinitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
3,5-Dinitroaniline	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
1,3-Dinitrobenzene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
2,4-Dinitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
2,6-Dinitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
RDX	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
Nitrobenzene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
2-Nitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
3-Nitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
4-Nitrotoluene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
1,3,5-Trinitrobenzene	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
Tetryl	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10
TNT	0.025	0.05	0.10	0.25	0.50	1.0	2.0	5.0	10

Internal Standard Stock Solution

M-529-IS

1 x 1 mL

2.0 mg/mL Ethyl acetate

3,4-Dinitrotoluene

Internal Standard Fortification Solution

M-529-ISFS

1 x 1 mL

2.0 mg/mL Ethyl acetate

14 comps.

2-Amino-4,6-dinitrotoluene
4-Amino-2,6-dinitrotoluene
3,5-Dinitroaniline
1,3-Dinitrobenzene
2,4-Dinitrotoluene
2,6-Dinitrotoluene
RDX

Nitrobenzene
2-Nitrotoluene
3-Nitrotoluene
4-Nitrotoluene
1,3,5-Trinitrobenzene
Tetryl
TNT

Surrogate Analyte Stock Solutions

M-529-SS1

1 x 1 mL

M-529-SS1-PAK

SAVE 20%

5 x 1 mL

100 µg/mL each in MeOH

2 comps.

1,3,5-Trimethyl-2-nitrobenzene

1,2,4-Trimethyl-5-nitrobenzene

M-529-SS2

1 x 1 mL

M-529-SS2-PAK

SAVE 20%

5 x 1 mL

100 µg/mL each in MeOH

Nitrobenzene-d₅

Surrogate Analyte Fortification Solution

M-529-SAFS

1 x 1 mL

100 µg/mL each in MeOH

3 comps.

1,3,5-Trimethyl-2-nitrobenzene
1,2,4-Trimethyl-5-nitrobenzene

Nitrobenzene-d₅

Gun Surveillance Standard

Gun Surveillance Standard

EXP-GSS

1 x 1 mL

At stated conc. in AcCN

9 comps.

	µg/mL		µg/mL
Dimethyl phthalate	200	2,2'-Dinitrodiphenylamine	50
2,4'-Dinitrodiphenylamine	50	4,4'-Dinitrodiphenylamine	50
2,4-Dinitrodiphenylamine	50	Diphenylamine	200
2-Nitrodiphenylamine	50	N-Nitrosodiphenylamine	75
4-Nitrodiphenylamine	50		

Full Scan MS Calibration Set

M-529-MS-SET

6 x 1 mL

M-529-03, M-529-05, M-529-06,
M-529-07, M-529-08, M-529-09

SIM Calibration Set

M-529-SIM-SET

7 x 1 mL

M-529-01, M-529-02, M-529-03, M-529-04,
M-529-05, M-529-06, M-529-07

Storage Condition.: Freeze (<-10°C)

Additional Explosive Standards are available, see our International Catalog

Method 1613 (EN-1948, JIS-K0311 & JIS-K0312) Dioxins & Furans by HRGC/HRMS

Native Solutions of the USEPA Method 1613 analytes. These mixes can also be used for USEPA Method 23, 8280 and 8290. They also cover EU Method EN-1948 and Japanese Methods JIS-K0311 and JIS-K0312.

Calibration Set

M-1613-CAL-SET (-01,-02,-03,-04,-05)

5 x 1 mL

All in ng/mL in Nonane

17 comps.

Precision and Recovery Standard

M-1613-PAR Bold (-04)

1 x 1 mL

M-1613-PAR-PAK

5 x 1 mL

All units in ng/mL in Nonane

17 comps.

M-1613-CAL	-01	-02	-03	-04	-05
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.5	2	10	40	200
2,3,7,8-Tetrachlorodibenzofuran	0.5	2	10	40	200
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	2.5	10	50	200	1000
1,2,3,7,8-Pentachlorodibenzofuran	2.5	10	50	200	1000
2,3,4,7,8-Pentachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	2.5	10	50	200	1000
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	2.5	10	50	200	1000
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	2.5	10	50	200	1000
1,2,3,4,7,8-Hexachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,6,7,8-Hexachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,7,8,9-Hexachlorodibenzofuran	2.5	10	50	200	1000
2,3,4,6,7,8-Hexachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	2.5	10	50	200	1000
1,2,3,4,6,7,8-Heptachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,4,7,8,9-Heptachlorodibenzofuran	2.5	10	50	200	1000
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	5	20	100	400	2000
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	5	20	100	400	2000

2,3,7,8 Isomers only Mix

This solution is for those labs only determining the concentration of the two most toxic isomers.

M-1613-DF

1 x 1 mL

40 ng/mL each in Nonane

2 comps.

2,3,7,8-Tetrachlorodibenzo-p-dioxin
2,3,7,8-Tetrachlorodibenzofuran

EPA Method 1626, ISO/DIN 22032 & PBDE Congeners

Method 1626

p-tert-Octylphenol, Nonylphenol Monoethoxylate & Nonphenol Diethoxylate and Tech Nonylphenol, Mono- & Di-ethoxylate

Nonylphenol ethoxylates and alkylphenol ethoxylates have been produced in large quantities in the U.S and around the world. They are used in many different applications: oil-soluble detergents, emulsifiers, wetting agents, lubricants, and antistatic agents. Breakdown products have been shown to be possible endocrine disruptors. In January of 2004, the US EPA proposed ambient water quality criteria for nonylphenol. The EPA is working with ASTM to develop and validate a method for nonylphenol and alkylphenol ethoxylates.

Nonylphenol Calibration Standard Solution

M-1626				1 x 1 mL
<i>At stated conc. in CH₂Cl₂</i>				
Nonylphenol	(160 µg/mL)	Bisphenol A	(32 µg/mL)	
Nonylphenol monoethoxylate	(320 µg/mL)	4-nonylphenol	(32 µg/mL)	
Nonylphenol diethoxylate	(640 µg/mL)	4-nonylphenol monoethoxylate	(32 µg/mL)	
4-tert-Octylphenol	(32 µg/mL)			

Nonylphenol Internal Standard

M-1626-IS				1 x 1 mL
<i>2000 µg/mL each in CH₂Cl₂</i>				
Acenaphthene-d ₁₀		Phenanthrene-d ₁₀		
				2 comps.

Nonylphenol Target Component Spike Standard

M-1626-S				1 x 1 mL
<i>At stated conc. in MeOH</i>				
Nonylphenol	(160 µg/mL)	4-tert-Octylphenol	(32 µg/mL)	
Nonylphenol monoethoxylate	(320 µg/mL)	Bisphenol A	(32 µg/mL)	
Nonylphenol diethoxylate	(640 µg/mL)			

Nonylphenol Surrogate Component Spike Standard

M-1626-SS				1 x 1 mL
<i>32 µg/mL each in MeOH</i>				
4-Nonylphenol		4-Nonylphenol monoethoxylate		
				2 comps.

ISO/DIS 22032

DRAFT INTERNATIONAL STANDARD ISO/DIS 22032 Calibration Curve Set

ISO/DIS-22032-SET

At stated conc. (ng/mL) in Isooctane

(BZ#)	7 x 1 mL 8 comps. each						
ISO/DIS-22032	01	02	03	04	05	06	07
2,2',4,4'-Tetrabromodiphenyl ether (#47)	5	12.5	25	50	100	150	250
2,2',4,4',5-Pentabromodiphenyl ether (#99)	5	12.5	25	50	100	150	250
2,2',4,4',6-Pentabromodiphenyl ether (#100)	5	12.5	25	50	100	150	250
2,2',4,4',5,5'-Hexabromodiphenyl ether (#153)	5	12.5	25	50	100	150	250
2,2',4,4',5,6'-Hexabromodiphenyl ether (#154)	5	12.5	25	50	100	150	250
2,2',3,4,4',5',6-Heptabromodiphenyl ether (#183)	5	12.5	25	50	100	150	250
2,3,3',4,4',5,5',6-Octabromodiphenyl ether (#205)	5	12.5	25	50	100	150	250
2,2',3,3',4,4',5,5',6,6'-Decabromodiphenyl ether (#209)	25	50	100	200	500	700	1000

Internal Standard for BDE-47, 99 & 100

ISO22032-IS-1-5ML	1 x 5 mL
ISO22032-IS-1-10ML	1 x 10 mL
<i>100 ng/mL each in Isooctane</i>	

2,2',4,4'-Tetrabromodiphenyl ether

Internal Standard for BDE-153, 154 & 183

ISO22032-IS-2-5ML	1 x 5 mL
ISO22032-IS-2-10ML	1 x 10 mL
<i>100 ng/mL each in Isooctane</i>	

2,2',3,4,4',5,6-Heptabromodiphenyl ether

For more new PBDE Standards, see our Flame Retardants Product Catalog

For more new PBDE Standards, see our Flame Retardants Product Catalog

Methoxy PCBs, EFSA (ITX), EU 67/548/EEC (Dyes) & Biodiesels

Methoxy PCBs

Methoxy PCBs

Each at 100 µg/mL in Isooctane	1 mL
2-Methoxy-5-chlorobiphenyl	MOPCB-1001S
4-Methoxy-2-chlorobiphenyl	MOPCB-1002S
4-Methoxy-3-chlorobiphenyl	MOPCB-1003S
4-Methoxy-4'-chlorobiphenyl	MOPCB-1004S
3-Methoxy-2',5'-dichlorobiphenyl	MOPCB-2002S
4-Methoxy-2',5'-dichlorobiphenyl	MOPCB-2003S
4-Methoxy-3,5-dichlorobiphenyl	MOPCB-2004S
2-Methoxy-2',3'-dichlorobiphenyl	MOPCB-2005S
2-Methoxy-2',3'-dichlorobiphenyl	MOPCB-2006S
2-Methoxy-2',4',6'-trichlorobiphenyl	MOPCB-3001S
2-Methoxy-2',5,5'-trichlorobiphenyl	MOPCB-3002S
3-Methoxy-2',4',6'-trichlorobiphenyl	MOPCB-3003S
4-Methoxy-2,2',5'-trichlorobiphenyl	MOPCB-3004S
4-Methoxy-2',3,5'-trichlorobiphenyl	MOPCB-3005S
4-Methoxy-2',4',6'-trichlorobiphenyl	MOPCB-3006S
2-Methoxy-2',3',4',5'-tetrachlorobiphenyl	MOPCB-4001S
2-Methoxy-2',3',5',6'-tetrachlorobiphenyl	MOPCB-4002S
2-Methoxy-2',4',5,6'-tetrachlorobiphenyl	MOPCB-4003S
3-Methoxy-2',3',4',5'-tetrachlorobiphenyl	MOPCB-4004S
3-Methoxy-2',3',5',6'-tetrachlorobiphenyl	MOPCB-4005S
4-Methoxy-2',3',4',5'-tetrachlorobiphenyl	MOPCB-4007S
4-Methoxy-2',3,4',6'-tetrachlorobiphenyl	MOPCB-4008S
4-Methoxy-2',3,5,5'-tetrachlorobiphenyl	MOPCB-4009S
2-Methoxy-2',3',4',5,5'-pentachlorobiphenyl	MOPCB-5001S
2-Methoxy-2',3',5,5',6'-pentachlorobiphenyl	MOPCB-5002S
4-Methoxy-2,2',3',4',5'-pentachlorobiphenyl	MOPCB-5003S
4-Methoxy-2,2',3',5',6'-pentachlorobiphenyl	MOPCB-5004S
4-Methoxy-2,2',4',5,5'-pentachlorobiphenyl	MOPCB-5009S
2-Methoxy-2',3,4',5',6'-pentachlorobiphenyl	MOPCB-5010S
4-Methoxy-2',3,3',4',5,5'-hexachlorobiphenyl	MOPCB-6001S

New PCB Metabolites (over 35 total)

Each at 100 µg/mL in Isooctane	1 mL
3-OH-2,2',4',5,5'-Pentachlorobiphenyl	HPCB-5008S
4-OH-2,2',4',5,5'-Pentachlorobiphenyl	HPCB-5009S

BioDiesel Standards

	Conc.	Solvent	Cat. No. (1 mL)
Biodiesel 20 NEW	0.5 mg/mL	CH ₂ Cl ₂	FU-030-D
	20 mg/mL	CH ₂ Cl ₂	FU-030-D-40X
Biodiesel 100 NEW (commercial grade)	0.5 mg/mL	CH ₂ Cl ₂	FU-029-D
	20 mg/mL	CH ₂ Cl ₂	FU-029-D-40X

Motor Fuels & Lubricating Oils Set

TPH-001-R1-SET	mg/mL	Solvent	Cat. No.	13 x 1 mL
Regular unleaded	20	MeOH	GA-001-40X	
Regular leaded	20	MeOH	GA-002-40X	
Premium	20	MeOH	GA-003-40X	
RFA Gasoline (oxygenate free)	20	MeOH	GA-005-40X	
#2 Diesel (conventional)	20	CH ₂ Cl ₂	FU-009-D-40X	
#1 Diesel (low sulfur)	20	CH ₂ Cl ₂	FU-013-D-40X	
#2 Diesel (extra low sulfur)	20	CH ₂ Cl ₂	FU-017-D-40X	
Arctic Diesel	20	CH ₂ Cl ₂	FU-023-D-40X	
SAE 30 W motor oil	20	CH ₂ Cl ₂	FU-018-D-40X	
SAE 40 W motor oil	20	CH ₂ Cl ₂	FU-019-D-40X	
SAE 50 W motor oil	20	CH ₂ Cl ₂	FU-021-D-40X	
Biodiesel 20 NEW	20	CH ₂ Cl ₂	FU-030-D-40X	
Biodiesel 100 NEW	20	CH ₂ Cl ₂	FU-029-D-40X	

Additional Fuel & Hydrocarbon Standards are available, see our International Catalog

European Food Safety Authority (EFSA) for Isopropylthioxanthone (ITX)

Responding to the new hazard found in Italy, France, Spain, and Portugal, AccuStandard has formulated standards for Isopropylthioxanth-9-one (a photographic chemical) found in baby milk in Italy. This latest reference standard is available now as the main component: the 2-isomer as well as the technical mixture which also contains the 4-isomer.

2-Isopropylthioxanthone (ITX)

EFSA-ITX-01 1 x 1 mL
1.0 mg/mL in Isooctane

2-Isopropylthioxanth-9-one

Isopropylthioxanthone (ITX) mixed isomers

EFSA-ITX-02 1 x 1 mL
1.0 mg/mL in Isooctane

2- & 4-Isopropylthioxanth-9-one

EU Directive 67/548/EEC Dyes

Dye Standards

Criterion #22 Regulated Dyes - Carcinogenic		
Each in 100 µg/mL in MeOH	Cat. No.	Unit
Disperse Blue 1	DYE-001S	1 mL
Disperse Orange 11	DYE-002S	1 mL
Disperse Yellow 3	DYE-003S	1 mL
Basic Violet 14	DYE-012S	1 mL
Direct Black 38	DYE-013S	1 mL
Direct Blue 6	DYE-014S	1 mL

Criterion #23 Regulated Dye - Disperse dyes, Sensitizing		
Each in 100 µg/mL in MeOH	Cat. No.	Unit
Disperse Blue 3	DYE-004S	1 mL
Disperse Orange 1	DYE-005S	1 mL
Disperse Orange 3	DYE-006S	1 mL
Disperse Red 1	DYE-007S	1 mL
Disperse Yellow 9	DYE-008S	1 mL
Disperse Blue 35	DYE-009S	1 mL
Disperse Blue 124	DYE-010S	1 mL
Disperse Orange 37	DYE-011S	1 mL
Disperse Blue 7	DYE-015S	1 mL
Disperse Blue 26	DYE-016S	1 mL
Disperse Blue 102	DYE-017S	1 mL
Disperse Red 11	DYE-018S	1 mL
Disperse Red 17	DYE-019S	1 mL

Not Lot™ Program

AccuStandard has developed the NotLot Program for customers to meet regulatory, auditor and laboratory requirements for the use of independent lots without having to place two different orders with two different companies. NotLots are the simplest way to verify the accuracy of your analysis without the added paperwork required when using lots from two different manufacturers.

NotLots are the same formulation of materials as the first lot, and are made independently.

This program is available on selected catalog items. Ask your Customer Service Representative for the catalog number and a NotLot.

NotLots will be provided at the regular list price for the more common products, and for the same price but with a minimum quantity of 5 for the less common and Custom (S-) products. NotLots may not be available for resale items, kits, Paks, or Inorganic Standards.

Eco-Labeling (Oeko-Tex Standard 1000)

Eco-Labeling (Oeko-Tex Standard 1000)

Textile manufacturers conforming to the Oeko-Tex Standard 1000 are granted the "Eco Friendly" label. Textiles receiving the "Eco Friendly" label will not pose any environmental threat when disposed as a household waste. Our Chemical Reference Standards are available to assist companies and their laboratories meet these analytical requirements. Included in this line of Standards are Pesticides, Dyes, Flame Retardants and Allergens.

Extractable Heavy Metals
Pesticides
Chlorinated Phenols
PVC Plasticizers (Phthalates)
Formaldehyde

Arylamines MAK III, Category 1
Arylamines MAK III, Category 2
Dyes Classified as Carcinogens
Dyes Classified as Allergens
Chlorinated Benzenes and Toluenes

Flame Retardants
Volatile Emissions
Organic Tin Compounds
Other Chemical Residues

Extractable Heavy Metals (100 mL at 1000 µg/mL)

Sb (Antimony) ICP-02W-1 (in Water)	Co (Cobalt) ICP-14N-1 (in Nitric acid)
As (Arsenic) ICP-03N-1 (in Nitric acid)	Cu (Copper) ICP-15N-1 (in Nitric acid)
Pb (Lead) ICP-29N-1 (in Nitric acid)	Ni (Nickel) ICP-37N-1 (in Nitric acid)
Cd (Cadmium) ICP-08N-1 (in Nitric acid)	Hg (Mercury) ICP-34N-1 (in Nitric acid)
Cr (Chromium) ICP-13N-1 (in Nitric acid)	

Chlorinated Phenols (1 mL at 100 µg/mL in MeOH)

Pentachlorophenol APP-9-176	2,3,4,6-Tetrachlorophenol APP-9-195
--------------------------------	--

PVC Plasticizers (Phthalates)

(1 mL at 100 µg/mL in MeOH)	
BBP (Benzylbutyl phthalate) APP-9-034	DBP (Dibutyl phthalate) APP-9-063
DINP (Diisononyl phthalate) ALR-102S	DNOP (Di-n-octyl phthalate) APP-9-095
DEHP (Di-2-ethylhexyl phthalate) APP-9-029	DIDP (Diisodecyl phthalate) ALR-101S

Formaldehyde (1 mL at 1000 µg/mL in Water)

Formaldehyde	M-554-06
--------------	----------

Flame Retardants (1 mL at 50 µg/mL in Isooctane)

Polybrominated biphenyl	B-600S (100 µg/mL)
Tri-(2,3-dibromopropyl)-phosphate	*
Tris-(aziridinyl)-phosphineoxide	*
Pentabromodiphenyl ether	BDE-088S
Octabromodiphenyl ether	BDE-798

Volatile Emissions (1 mL at 100 µg/mL in MeOH)

Formaldehyde	M-554-06	4-Phenylcyclohexane *	
Toluene	M-502-46	Butadiene	S-406A
Styrene	M-502-42	Vinyl chloride	M-502-56
Vinylcyclohexene *			

Pesticides (1 mL at 100 µg/mL in MeOH)

Aldrin	P-002S	Endosulfan - Mixed Isomers	P-435S
Azinphos-ethyl	P-201S	Endosulfan II	P-092S
Azinphos-methyl	P-007S	Endrin	P-045S
Bromophos-ethyl	P-372S	Esfenvalerate	P-525S
Captafol	P-254S	Fenvalerate	P-194S
Carbaryl	P-083S	Heptachlor	P-053S
Chlordane	P-017S	Heptachlor epoxide	P-054S
Chlordimeform	P-333S	Hexachlorobenzene	APP-9-112
Chlorfenvinphos	P-139S	Hexachlorocyclohexane, a-BHC, a-HCH	P-010S
Coumaphos	P-019S	Hexachlorocyclohexane, b-BHC, b-HCH	P-011S
Cyfluthrin	P-354S	Hexachlorocyclohexane, g-BHC, g-HCH	P-012S
Cyhalothrin	P-473S	Mecoprop	P-154S
Cypermethrin	P-225S	Methamidophos	P-155S
2,4-D	P-020S	Methoxychlor	P-064S
DEF	P-150S	Mirex	P-066S
Deltamethrin	P-335S	Monocrotophos	P-112S
o,p'-DDD	P-024S	Parathion, Parathion-ethyl	P-070S
o,p'-DDE	P-026S	Parathion-methyl	P-065S
o,p'-DDT	P-028S	Phosdrin, Mevinphos	P-074S
p,p'-DDD	P-025S	Propetamphos	P-417S
p,p'-DDE	P-027S	Profenophos	P-260S
p,p'-DDT	P-029S	Quinalphos	P-462S
Diazinon	P-033S	2,4,5-T	P-168S
Dichlorprop	P-143S	Toxaphene, Camphechlor	P-093S
Dicrotophos	P-178S	Trifluralin	P-197S
Dieldrin	P-037S		
Dimethoate	P-039S		
Dinoseb	P-144S		

Arylamines MAK III, Category 1 (1 mL at 100 µg/mL in AcCN, unless noted)

4-Aminodiphenyl (in MeOH)	APP-9-011	2-Naphthylamine	RAC-16
Benzidine	RAC-04	4-Chloro-o-toluidine	RAC-06

Arylamines MAK III, Category 2 (1 mL at 100 µg/mL in AcCN, unless noted)

4-Aminoazobenzene	RAC-21	3,3'-Dimethoxybenzidine	RAC-12
o-Aminoazotoluene	RAC-01	3,3'-Dimethylbenzidine	RAC-13
2-Amino-4-nitrotoluene	RAC-03	2,6-Dimethylaniline	L-018S-CN
o-Anisidine	RAC-23	3,3'-Dimethyl-4,4'-diaminobiphenylmethane	
p-Chloraniline	RAC-05		RAC-14
p-Cresidine	RAC-07	4,4'-Methylene-bis-(2-chloroaniline)	
2,4-Diaminoanisole (in MeOH)	ALR-070S		RAC-15
(4-methoxy-m-phenylenediamine)		4,4'-Oxydianiline	RAC-17
4,4'-Diaminobiphenylmethane	RAC-09	4,4'-Thiodianiline	RAC-18
2,4-Diaminotoluene	RAC-10	o-Toluidine	APP-9-199
3,3'-Dichlorobenzidine (MeOH)	APP-9-067	(MeOH)	

* Contact your Local Distributor

Eco-Labeling & RoHS/WEEE Regulations (2002/95/EC)

Eco-Labeling (Oeko-Tex Standard 1000) (Continued)

Chlorinated Benzenes & Toluenes (1 mL at 100 µg/mL in MeOH)

Chlorinated Benzenes and Toluenes		
1,2-Dichlorobenzene	APP-9-064	1,2,3-Trichlorobenzene M-502-47
1,3-Dichlorobenzene	APP-9-065	1,2,4-Trichlorobenzene APP-9-201
1,4-Dichlorobenzene	APP-9-066	Pentachlorobenzene APP-9-173
Hexachlorobenzene	APP-9-112	1,2,4,5-Tetrachlorobenzene APP-9-191
2-Chlorotoluene	M-502-15	1,3,5-Trichlorobenzene AS-E0176
3-Chlorotoluene	AS-E0151	a,a,a-Trichlorotoluene M-624-SS-14
4-Chlorotoluene	M-502-16	2,3,6-Trichlorotoluene *
1,2,3,4-Tetrachlorobenzene	AS-E0225	a,a,3-Trichlorotoluene *
1,2,3,5-Tetrachlorobenzene	A-009	a,2,6-Trichlorotoluene *
2,3-Dichlorotoluene	*	a,2,4-Trichlorotoluene *
2,4-Dichlorotoluene	AS-E0149	a,3,4-Trichlorotoluene *
2,5-Dichlorotoluene	*	a,a,2,6-Tetrachlorotoluene *
2,6-Dichlorotoluene	*	p,a,a,a-Tetrachlorotoluene *
3,4-Dichlorotoluene	*	a,2,3,6-Tetrachlorotoluene *
aa-Dichlorotoluene	*	2,4,a,a,a-Pentachlorotoluene*
2,4,5-Trichlorotoluene	*	2,3,4,5,6-Pentachlorotoluene*
		a,a,a,3,4-Pentachlorotoluene*

Dyes Classified as Carcinogens

(1 mL at 100 µg/mL in MeOH)			
Acid Red 26	*	Direct Red 28	*
Basic Red 9	*	Disperse Blue 1	DYE-001S
Basic Violet 14	DYE-012S	Disperse Orange 11	DYE-002S
Direct Black 38	DYE-013S	Disperse Yellow 3	DYE-003S
Direct Blue 6	DYE-014S		

Dyes Classified as Allergens (1 mL at 100 µg/mL in MeOH)

Disperse Blue 1	DYE-001S	Disperse Orange 37	DYE-011S
Disperse Blue 3	DYE-004S	Disperse Orange 76	*
Disperse Blue 7	DYE-015S	Disperse Red 1	DYE-007S
Disperse Blue 26	DYE-016S	Disperse Red 11	DYE-018S
Disperse Blue 35	DYE-009S	Disperse Red 17	DYE-019S
Disperse Blue 102	DYE-017S	Disperse Yellow 1	*
Disperse Blue 106	*	Disperse Yellow 3	DYE-003S
Disperse Blue 124	DYE-010S	Disperse Yellow 9	DYE-008S
Disperse Brown 1	*	Disperse Yellow 39	*
Disperse Orange 1	DYE-005S	Disperse Yellow 49	*
Disperse Orange 3	DYE-006S		

* Contact your Local Distributor

Organic Tin Compounds

TBT (Tributyltin) *
DBT (Dibutyltin) *

Other Chemical Residues (1 mL at 100 µg/mL in MeOH)

Orthophenylphenol (OPP) P-460S

RoHS/WEEE Regulations (2002/95/EC)

Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipments Regulations 2004.

Regulated Substance	Cat. No.	Product Description	Concentration
Mercury	ICP-34N-1	Mercury ICP Standard	1000 ppm in HNO3
Lead	ICP-29N-1	Lead ICP Standard	1000 ppm in HNO3
Cadmium	ICP-08N-1	Cadmium ICP Standard	1000 ppm in 2% Nitric acid
Hexavalent Chromium	WC-HEX-10X-1	Hexavalent Chromium (Cr6+) Standard	1000 µg/mL in Water
PBBs	B-049S	2,2',4,5'-Tetrabromobiphenyl	35 µg/mL in Isooctane
see our catalog	B-077S	3,3',4,4'-Tetrabromobiphenyl	35 µg/mL in Isooctane
for the complete	B-103S	2,2',4,5',6-Pentabromobiphenyl	35 µg/mL in Isooctane
listing of PBBs	B-153S	2,2',4,4',5,5'-Hexabromobiphenyl	35 µg/mL in Isooctane
	B-209S	Decabromodiphenyl	35 µg/mL in Isooctane
	B-250S	Dow FR-250 (Octabromobiphenyl)	100 µg/mL in Isooctane
PBDEs	BDE-028S	2,4,4'-Tribromodiphenyl ether	50 µg/mL in Isooctane
see our catalog	BDE-047S	2,2',4,4'-Tetrabromodiphenyl ether	50 µg/mL in Isooctane
for the complete	BDE-099S	2,2',4,4',5-Pentabromodiphenyl ether	50 µg/mL in Isooctane
listing of PBDEs	BDE-100S	2,2',4,4',6-Pentabromodiphenyl ether	50 µg/mL in Isooctane
	BDE-153S	2,2',4,4',5,5'-Hexabromodiphenyl ether	50 µg/mL in Isooctane
	BDE-154S	2,2',4,4',5,6'-Hexabromodiphenyl ether	50 µg/mL in Isooctane
	BDE-183S	2,2',3,4,4',5',6-Heptabromodiphenyl ether	50 µg/mL in Isooctane
	BDE-209S	Decabromodiphenyl ether	50 µg/mL in Isooctane